

PROCURE
Revision Number 5

Revision Date 25-Jan-2019 Supersedes Date: 03-Jan-2019

\_\_\_\_\_\_

## 1. Identification

### 1.1. Product Identifier

Product Name PROCURE

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives and/or sealants. Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

### **Responsible Party**

Bostik Inc.

11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA

Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International)

Fax: +1 (414) 774-8075

E-mail msds@bostik.com

### 1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

## Section 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

Respiratory sensitization	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Flammable liquids	Category 4

### 2.2. Label Elements

## **EMERGENCY OVERVIEW**

## DANGER

### Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure Combustible liquid

PROCURERevision Date25-Jan-2019Revision Number5Supersedes Date:03-Jan-2019



**Appearance** Paste

Physical State Liquid

**Odor** No information available

### **Precautionary Statements - Prevention**

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

Get medical advice/attention if you feel unwell

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

In case of fire: Use CO2, dry chemical, or foam to extinguish.

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## **Hazards Not Otherwise Classified (HNOC)**

Not applicable

## Unknown acute toxicity

32 % of the mixture consists of ingredient(s) of unknown toxicity

### 2.3. Other Information

No information available.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable

### 3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Limestone	1317-65-3	40 - 70
Naphtha, petroleum, heavy alkylate	64741-65-7	3 - 7
Benzene, 1,1'-methylenebis[isocyanato-	26447-40-5	1 - 5
Quartz	14808-60-7	0.1 - 1
Benzenesulfonyl isocyanate, 4-methyl-	4083-64-1	0.1 - 1

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## Section 4: FIRST AID MEASURES

PROCURE Revision Date 25-Jan-2019
Revision Number 5 Supersedes Date: 03-Jan-2019

\_\_\_\_\_

## 4.1. Description of first aid measures

**General advice** Remove and isolate contaminated clothing and shoes.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Wash contaminated clothing before reuse. May cause sensitization by

skin contact. In the case of skin irritation or allergic reactions see a physician.

**Inhalation** Move victim to fresh air. Administer oxygen if breathing is difficult. If breathing is irregular or

stopped, administer artificial respiration.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Never give anything by mouth to an unconscious person. Call a physician or poison control

center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization by inhalation and skin contact. Treat symptomatically.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

## Section 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

### Suitable extinguishing media

Dry chemical, CO2, water spray or regular foam. Move containers from fire area if you can do it without risk.

### Unsuitable extinguishing media

Strong water jet.

### 5.2. Special hazards arising from the substance or mixture

### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes. Product is or contains a sensitizer. May cause sensitization by inhalation and skin contact.

### **Explosion Data**

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

### 5.3. Advice for firefighters

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

Revision Number 5 Supersedes Date: 03-Jan-2019

protective gear.

**PROCURE** 

## Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

smoking, flares, sparks or flames in immediate area). Stop leak if you can do it without risk. Avoid contact with skin, eyes or clothing. Do not touch or walk through spilled material.

Revision Date 25-Jan-2019

Other information Water spray may reduce vapor; but may not prevent ignition in closed spaces.

6.2. Environmental precautions

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Methods for cleaning up

Use personal protective equipment as required. Dam up. Soak up with inert absorbent

material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Take up

mechanically, placing in appropriate containers for disposal. Clean contaminated surface

thoroughly.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

### Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation, especially in confined areas. Use with local exhaust ventilation. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin, eyes or clothing. Wash

hands thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep in properly labeled containers. Keep containers

tightly closed in a dry, cool and well-ventilated place. Protect from direct contact with water

or excessive moisture. Reacts with water.

**Incompatible materials** Water. Alcohols. Strong bases. Strong oxidizing agents. Finely powdered metals.

7.3. Specific end use(s)

Specific Use(s)

Adhesives and/or sealants.

Other information No information available.

PROCURERevision Date25-Jan-2019Revision Number5Supersedes Date:03-Jan-2019

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

**Exposure Guidelines** 

. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL	Mexico
Limestone	-	TWA: 10 mg/m³ total dust	TWA: 15 mg/m³ total dust	TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable	STEL: 20 mg/m <sup>3</sup>
		dust	fraction	
Benzene,	-	-	Ceiling: 0.02 ppm	TWA: 0.02 ppm
1,1'-methylenebis[isocyanato			Ceiling: 0.2 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup>
-				TWA: 0.005 ppm
26447-40-5				TWA: 0.051 mg/m <sup>3</sup>
Quartz	TWA: 0.025 mg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable	TWA: 50 μg/m³ TWA: 50	TWA: 0.1 mg/m <sup>3</sup>
14808-60-7	respirable particulate matter	dust	µg/m³ excludes	_
		TWA: 0.05 mg/m <sup>3</sup>	construction work,	
		respirable dust	agricultural operations, and	
			exposures that result from	
			the processing of sorptive	
			clays	
			: (250)/(%SiO2 + 5) mppcf	
			TWA respirable fraction	
			: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
			TWA respirable fraction	

Chemical Name	Argentina	Brazil	Chile	Venezuela
Limestone	TWA: 10 mg/m <sup>3</sup>	-	TWA: 7 mg/m <sup>3</sup>	-
1317-65-3				
Benzene,	TWA: 0.005 ppm	-	TWA: 0.004 ppm	-
1,1'-methylenebis[isocyanato			TWA: 0.045 mg/m <sup>3</sup>	
-				
26447-40-5				
Quartz	TWA: 0.05 mg/m <sup>3</sup>	-	TWA: 0.08 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
14808-60-7	-		_	_

## 8.2. Exposure controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Personal protective equipment [PPE]

Respiratory protection

Eye/face protection

Tight sealing safety goggles.

West suitable shaming racio

**Skin and body protection** Wear suitable chemical resistant gloves. The selection of suitable gloves does not only

depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. When using do not eat, drink or smoke. Avoid contact with eyes, skin and clothing. Take off all contaminated clothing and wash it before reuse.

PROCURE Revision Date 25-Jan-2019
Revision Number 5 Supersedes Date: 03-Jan-2019

Regular cleaning of equipment, work area and clothing is recommended.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical StateLiquidAppearancePasteColorBeige

Odor No information available Odor Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** No information available

Melting point / freezing pointNo data availableBoiling point / boiling rangeNo data available

**Flash Point** 72 °C / 161.6 °F ASTM D3278

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor PressureNo information availableVapor DensityNo information availableRelative DensityNo information availableWater SolubilityNo information available

Solubility in Other Solvents

Partition coefficient
Autoignition Temperature
Decomposition Temperature
Kinematic Viscosity

No information available
No information available
No information available
No information available

Dynamic Viscosity No information available

**Explosive properties**No information available
Oxidizing properties
No information available

9.2. Other information

Softening PointNo information availableMolecular WeightNo information availableSolvent content (%)No information available

Solid content (%) 95.4 Density 1.69 g/cm<sup>3</sup>

VOC (volatile organic compound) 92.0 g/L

## Section 10: STABILITY AND REACTIVITY

## 10.1. Reactivity

Reacts with water.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

PROCURERevision Date25-Jan-2019Revision Number5Supersedes Date:03-Jan-2019

None under normal processing.

Hazardous Polymerization Hazardous polymerization may occur.

### 10.4. Conditions to avoid

Storage near to reactive materials. Extremes of temperature and direct sunlight. Protect from moisture. Keep from any possible contact with water.

### 10.5. Incompatible materials

Water. Alcohols. Strong bases. Strong oxidizing agents. Finely powdered metals.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx). Hydrogen cyanide. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

Product information No data available

**Inhalation** May cause sensitization by inhalation.

Eye contact No data available.

**Skin contact** May cause sensitization by skin contact.

**Ingestion** No data available.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Limestone	>5000 mg/kg (rat)	-	-
1317-65-3			
Naphtha, petroleum, heavy alkylate	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.04 mg/L (Rat) 4 h
64741-65-7			
Benzene,	> 10000 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	= 490 mg/m³ (Rat) 4 h
1,1'-methylenebis[isocyanato-			
26447-40-5			
Quartz	>2000 mg/kg (Rat)	-	-
14808-60-7			
Benzenesulfonyl isocyanate,	= 2234 mg/kg (Rat)	-	> 640 ppm (Rat) 1 h
4-methyl-			
4083-64-1			

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Symptoms
Skin corrosion/irritation
Serious eye damage/eye irritation
Irritation
Corrosivity
No information available.
No information available.
No information available.
No information available.

**Sensitization** May cause sensitization by inhalation and skin contact.

Germ Cell MutagenicityNo information available.Reproductive ToxicityNo information available.Developmental ToxicityNo information available.TeratogenicityNo information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

Chronic Toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure. Repeated or prolonged exposure may cause central nervous system damage.

Repeated or prolonged contact causes sensitization, asthma and eczemas.

**Revision Number** 5 Supersedes Date: 03-Jan-2019

**Target Organ Effects Aspiration hazard** Carcinogenicity

**PROCURE** 

Eyes, Respiratory system, Skin, Central nervous system.

No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen. As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Revision Date 25-Jan-2019

Chemical Name	ACGIH	IARC	NTP	OSHA
Benzene, 1,1'-methylenebis[isocyanato	-	Group 3	-	-
26447-40-5				
Quartz 14808-60-7	A2	Group 1	Known	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Harmful to aquatic life

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Limestone	CE50 (72h) >200mg/L Algae	CL50 (96h)>10000mg/L Fish		CE50 (48h) >1000 mg/L
1317-65-3	(Desmondesmus subspicatus)	(Oncorhynchus mykiss)		Daphnia Magna
Naphtha, petroleum, heavy	EC50: =30000mg/L (72h,			LC50: =2mg/L (48h,
alkylate	Pseudokirchneriella			Mysidopsis bahia)
64741-65-7	subcapitata)			
Benzene,	EC50: =3230mg/L (96h,			EC50: >1000mg/L (24h,
1,1'-methylenebis[isocyanato	Skeletonema costatum)			Daphnia magna)
-				
26447-40-5				

## 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

There is no data for this product.

## 12.4. Mobility in soil

No information available.

### Other adverse effects

No information available

## Section 13: DISPOSAL CONSIDERATIONS

PROCURE Revision Date 25-Jan-2019
Revision Number 5 Supersedes Date: 03-Jan-2019

#### 13.1. Waste treatment methods

**Disposal of Wastes**It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

### Section 14: TRANSPORT INFORMATION

**Note:** The shipping descriptions shown here are for bulk shipments only, and may not apply to

shipments made in non-bulk packages (see regulatory definition)

The information shown here, may not always agree with the bill of lading shipping

description for the material

49 CFR 173.150(f)(2) "The requirements in this subchapter do not apply to a material classed as a combustible liquid in a non-bulk packaging unless the combustible liquid is a

hazardous substance, a hazardous waste, or a marine pollutant."

DOT

UN/ID No NA1993

Proper Shipping Name Combustible liquid, n.o.s.
Hazard Class Combustible liquid

Packing Group III

Special Provisions IB3, T1,TP1, 148

**Description** NA1993, Combustible liquid, n.o.s. (Naphtha, petroleum, heavy alkylate), Combustible

liquid, III

**Emergency Response Guide** 

Number

128

<u>IATA</u>

UN Number UN3082

**Proper Shipping Name** Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) 9
Packing Group III
ERG Code 9L

Special Provisions A97, A158, A197

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s.(Naphtha, petroleum, heavy

alkylate), 9, III

**IMDG** 

UN Number UN3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es)

Packing Group

EmS-No.

Special Provisions

9

III

F-A, S-F

274, 335, 969

**Description** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Naphtha, petroleum, heavy

alkylate), 9, III, Marine Pollutant

## Section 15: REGULATORY INFORMATION

### **Global Inventories**

TSCA	Listed
DSL	Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

PROCURE Revision Date 25-Jan-2019
Revision Number 5 Supersedes Date: 03-Jan-2019

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

**Not Listed** - One or more components of this product are not listed on inventory.

### **United States of America**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No.
Benzene, 1,1'-methylenebis[isocyanato-	26447-40-5

### SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **Europe**

## Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

### **Key Literature References and Sources for Data**

No information available

Prepared By Product Safety & Regulatory Affairs

Revision Date 25-Jan-2019

**Revision note** SDS sections updated, 2, 3, 4, 5, 6, 11, 12, 15.

Training Advice No information available

Further information No information available

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

PROCURE
Revision Number 5

Revision Number 5 Supersedes Date: 03-Jan-2019

Revision Date 25-Jan-2019

**End of Safety Data Sheet**